

FLT Transport Caddies




Transport & Store Tables
Easily & Securely.



Pictured: 8' Rectangle

SICO® QUALITY

Transport and safely store SICO® folding leg tables with ease. Transport caddies accommodate all sizes and shapes of SICO® folding leg tables. Save even more storage space by opting for our stacking caddy options. Heavy-duty caddies are built to last with SICO's renowned attention to quality.



High Load Capacity

Holds up to (30) 18" wide Rectangle FLT tables or (15) 30" wide Rectangle FLT tables.



Premium Casters

Built for durability and smooth rolling. Two fixed casters and two swivel casters for easy maneuverability.



14 gauge Steel

Highly durable and built to withstand rigorous use. Securely holds tables in place during transport.

FLT Transport Caddy Features



Easy Transport

Premium Casters: Four premium roller bearing 5"(13cm), urethane casters for easy maneuverability. Built for durability and smooth rolling.

Two Fixed Casters: Allows one person to easily maneuver caddy into tight spaces. (Two swivel casters on user end)

Easy Grip Handle: At a convenient height so there are no difficulties bending or gripping the caddy during transport.



Compact Storage (Stacking Caddies Only)

Stacking Caddies: Allows for vertical storage. Instantly triple your storage space. Stacking supports provide a stable foundation for multiple caddies.

Fork Lift Approved: Standard forklift holes easily fit onto most standard fork lifts. Stacking caddies must be forklifted individually.

Optional Hitch Kit: Add a hitch kit to stacking caddies to tow caddy.

Warranty

3-Year Warranty: Against manufacturer's defects.

Lifetime Warranty: On all welds.

Integrated Ramp (Round Table Caddies Only)

Ramp: Creates an easy incline to roll round tables on and off transport caddy.

Locks Into Position: Movable ramp locks into lowered (loading) position and brakes casters to prevent movement while loading tables.

Ramp Release Lever: Disengages the locking caster system and raises the ramp. Spring-loaded ramp requires no lifting to return to transport position.

Unique Caster Locking System: Keeps stacking caddy from moving while loading and unloading.

Neoprene Glides: Located on bottom of ramp to protect the floor.

Wood Decking Surface: Plywood fastened with expansion rivets.

Caddy Frame

Tubular Steel Frame: 14 gauge steel secures tables during transport. Railings and handle are constructed with tubular 1-1/4" (3.2cm) 14 gauge steel for added strength and durability.

Angle Support Bars & Side Rails: Holds folding leg tables securely in place during transport.

Powder Coat: Finished in black powder coat paint.

Table Supports: Wood with SICO® Armor Edge® wear surfaces.

Space Design

Take advantage of our FREE space design service to determine the optimal layout and number of products for your space.

SPECIFICATIONS

OPTIONS

Ordering Information

Description	Compatible Products	Table Capacity	Weight Capacity	Weight
6 Foot Rectangle	72" Rectangle FLT	15/30*	1400 lbs. (635kg)	116 lbs. (53kg)
6 Foot Rectangle Stacking	72" Rectangle FLT	15/30*	1400 lbs. (635kg)	230 lbs. (105kg)
8 Foot Rectangle	96" Rectangle FLT	15/30*	1700 lbs. (771kg)	136 lbs. (62kg)
8 Foot Rectangle Stacking	All Rectangle FLT	15/30*	1700 lbs. (771kg)	250 lbs. (114kg)
60/66/72 Round Stacking	All Round FLT	20	1700 lbs. (771kg)	375 lbs. (170kg)
60/66/72 Round Low Profile	All Round Low Profile FLT	12	1000 lbs. (454kg)	120 lbs. (55kg)
6 Foot Modesty Panel Tray	72" Modesty Panels	16 or 32 Modesty Panels	150 lbs. (68kg)	52 lbs. (24kg)
8 Foot Modesty Panel Tray	96" Modesty Panels	16 or 32 Modesty Panels	200 lbs. (91kg)	65 lbs. (30kg)

* 15 rectangle tables at 30" (76cm) wide;
30 rectangle tables at 36" (92cm) wide.

Dimensions

Description	Length	Width	Width (2 Stacks of 18" Wide Tables)	Height
6 Foot Rectangle	85" (216cm)	34.5" (88cm)	37.5" (96cm)	50" (127cm)
6 Foot Rectangle Stacking	84" (214cm)	45" (115cm)	45" (115cm)	64" (163cm)
8 Foot Rectangle	109" (277cm)	34.5" (88cm)	37.5" (96cm)	50" (127cm)
8 Foot Rectangle Stacking	108" (275cm)	45" (115cm)	45" (115cm)	64" (163cm)
60/66/72 Round Stacking	89" (226cm)	59.5" (152cm)	X	85" (216cm)
60/66/72 Round Low Profile	84" (214cm)	35" (89cm)	X	41" (104cm)
6 Foot Modesty Panel Tray	72" (183cm)	11" (28cm)	X	7" (18cm)
8 Foot Modesty Panel Tray	96" (244cm)	11" (28cm)	X	7" (18cm)

Choose Your Type of Caddy

Caddies are a great option to organize and transport your tables in and out of storage without the use of machinery. Use rectangle caddies with the rectangle top FLT's and round caddies with the round top FLT's. Choose stacking caddies (forklift required) to save even more space. Stack three high to get three times the storage space without increasing your storage footprint.



Rectangle Stacking

Store SICO® rectangle FLT Tables vertically to save space. Stack 3 High at 186" h (473cm).



Rectangle

The 72" (183cm) rectangle folding leg portable table caddy is designed to accommodate both 60" (153cm) and 72" (183cm) long FLT portable tables. The 96" (244cm) rectangle folding leg portable table caddy is designed to accommodate 96" (244cm) long FLT portable tables.



Round Stacking

Store SICO® round FLT Tables vertically to save space. This includes the: Round, Oval, Half-Round and Crescent shape FLT Tables. Stack 3 high at 242" h (615cm).



Round

This multiple-use transport caddy is designed to transport and store Round, Oval, Half-Round & Crescent shaped FLT tables securely in place.

WANT TO FIND OUT MORE?

Visit www.sicoinc.com to see more from our wide variety of innovative products.



©SICO Incorporated
FLT Transport Caddies IS R2-IPG-10/23-1K

SICO Incorporated -

Global Headquarters
SICO America Inc.
Tel: 1 800 328 6138
Email: sales@sicoinc.com

SICO Japan Inc.

Tel: +81(3) 3288 0145
Email: info@sico-japan.com

SICO Asia PTE LTD

Tel: (65) 6500 0800
Email: sales@sicoasia.com

SICO Middle East DMCC

Tel: (971) 4 422 8259
Email: sales@sico-me.com

SICO Europe Limited

Tel: +44(0) 1303 234 000
Email: sales@sico-europe.com

SICO South Pacific Limited

Tel: +61(2) 4336 1333
Email: sales@sicosp.com.au