
# Portable Dance Floors



Superior Craftsmanship, World Class Recognition.



# SICO® QUALITY

We invented the first professional portable dance floors in 1964, and continue to be the leading manufacturer and innovator in this product category throughout the world! Each SICO® dance floor is manufactured with the superior craftsmanship, stunning aesthetics, close attention to detail and value-added features that have become our trademark.



A Safer Dance Floor Positive locking floor means less

separation between panels and a safer dance floor. Easily replaceable if damaged.



## Low-Profile Trim

Wide trim creates and 11 degree transition slope. Easier transition means reduced liability. Available in silver, black and gold.



Fast & Easy Setup No specific order for setup or

training required. Change the configuration without dismantling entire floor.

## Dance Floor Features



## Starlight II\* (Waterproof)



- Laminate - Aluminum - Structural Foam - Sealed Backer



\*Patented



## **FEATURES & BENEFITS**

## Panel Sizing

#### Large 4'x4' Square Panels:

Spacious 4'x4' (122cm squares), or 16 sq. ft. panels are almost twice the area compared to conventional 3'x3' (91cm squares) or 9 sq. ft. panels.

- Fewer panels mean less storage space, and combined with the cam-lock, setting-up and taking down can be done in almost half the time of smaller panels.
- Manufactured square panels guarantee's a perfect fit every time.

### Dance Surface

#### **High-Wear Laminate:**

More than 7X the abrasion and scuff resistance of traditional laminate. Resists chipping, scratching and fading. Eliminate the re-finishing costs of wood.

#### Anodized Border Trim:

Each section of border trim provides a modest 11° slope and a broad 6.25" (16cm) width, 5" (13cm) width for Original, allowing for easy access to every floor. Each trim piece is grooved for a slip resistant surface. Available in black, silver or gold.

## Construction

#### Cam-Lock Positive Locking

**System:** A proven locking system for over 20 years. Self-Aligning pins perfectly squares this floor for an easy and fast set-up.

#### Low Profile Design:

Allows easier access and egress. All floor profiles are less than 1" (2.5cm).

#### **Protective Backer:**

All floors are manufactured with a protective backer which resists moisture.

#### Indoor/Outdoor Use:

Panel is 100% waterproof and can be used under any weather conditions without having to worry about warping or delamination. (Starlight II Only)

#### Precision Tongue & Groove

**Design:** Allows dance floor panels to easily assemble and disassemble without a panel sequence.

#### Solid Floor Contact:

All panels have 100% floor contact so there is no possibility of breakthrough. Eliminates the flexing of panels and keeps parquet from coming loose.

#### T-6 Aluminum Metal Edge:

Panels are joined together by utilizing a tongue and groove, T-6 aluminum feature edge that protects the perimeter of each panel.

### Transport & Storage

#### Transport/Storage Caddies:

Each caddy holds 24 panels and all matching trim. Easy loading feature allows loading and un-loading of panel and trim from both sides. Each unit comes with convenient slots that protect panels and keeps your components neatly organized.

## Limited Warranty

10-Year Cam-Lock system warranty. 3-year limited warranty on dance floor system. Visit **www.sicoinc.com** for warranty details.

**Serial Number:** Dance floor panels are permanently marked for easy identification.

## Space Design


Take advantage of our FREE space design service to determine the optimal layout and number of products for your space.



## OPTIONS

## Choose Indoor or Outdoor

Choose from the indoor-only Cam-Lam or upgrade to the Starlight II so that you can bring the party outside under the starlight.








## Choose Laminate

Choose from 13 standard high-wear laminate patterns. Many other patterns available at Wilsonart.com.

Colombian Walnut	7943K
Buka Bark	7982
	and the second second
Boardwalk Oak	7983
Pasadena Oak	7986
Amber Cherry	7919
Northern Birch	2040
	and the second second






## Choose Trim Color

Choose from three standard color options to frame your dance floor. Match your current decor with ease.





\*All colors are representative only

## **SPECIFICATIONS**

## Ordering Information

Description	Model No.	Weight	
Cam-Lam	DLP24?	45 lbs. (21kg)	
Starlight II	DSP54?	43 lbs. (19kg)	
2 - Customization Ontion			


? = Customization Option

### In-Use Dimensions

Description	Length	Width	Height
Cam-Lam	4' (122cm)	4' (122cm)	0.75" (1.9cm)
Starlight II	4' (122cm)	4' (122cm)	0.75" (1.9cm)

### Storage Dimensions

Description	<b>A</b> - Length	<b>B</b> - Width	<b>C</b> - Height
Cam-Lam	30" (76cm)	65.5" (166cm)	63.5" (161cm)
Starlight II	30" (76cm)	65.5" (166cm)	63.5" (161cm)



Panels	Dancers	Caddies
4	16	1
6	24	1
8	32	1
12	48	1
15	60	1
16	64	1
20	80	1
24	96	1
28	112	2
32	128	2
25	100	2
30	120	2
35	140	2
36	144	2
40	160	2
42	168	2
48	192	2
54	216	3
56	224	3
64	256	3
72	288	3
81	324	4
90	360	4
100	400	4
	4 6 8 12 15 16 20 24 28 32 25 30 35 36 40 42 48 54 54 56 64 72 81 90	4 16   6 24   8 32   12 48   15 60   16 64   20 80   24 96   28 112   32 128   25 100   30 120   35 140   36 144   40 160   42 168   48 192   54 216   56 224   64 256   72 288   81 324   90 360

Assume that only one-third of your guests will dance, so the number of dancers shown in these graphs is only 33% of your total guests.

## Storage Caddy

Walk-in design makes loading/unloading easy and safe. Securely holds 24 panels and trim in a 65.5"x30" (166x76cm) footprint.







WANT TO FIND OUT MORE?

Visit www.sicoinc.com to see more from our wide variety of innovative products.





SICO Incorporated -Global Headquarters SICO America Inc. Tel: 1 800 328 6138 Email: sales@sicoinc.com

SICO Japan Inc. Tel: +81(3) 3288 0145 Email: info@sico-japan.com SICO Asia PTE LTD Tel: (65) 6500 0800 Email: sales@sicoasia.com

**SICO Middle East DMCC** Tel: (971) 4 422 8259 Email: sales@sico-me.com SICO Europe Limited Tel: +44(0) 1303 234 000 Email: sales@sico-europe.com

SICO South Pacific Limited Tel: +61(2) 4336 1333 Email: sales@sicosp.com.au