




# MultiApp IIS



## Features

The MultiApp IIS table combines functionality, versatility and style. The table is designed for dual-sided seating and provides a collaborative, social area for gathering. One person can easily set up or reconfigure any space effortlessly. Storage is optimized as units nest together, requiring less space.



Customize the look of the table and make it pop within your space. Choose from a wide range of table top shapes, laminates, Armor-Edge® colors and powder coat colors. Mix and match to add variety as you see fit.

- |                                      |                               |
|--------------------------------------|-------------------------------|
| ① High-Pressure Laminate Surface     | ⑥ Tubular Steel Legs          |
| ② Three Top Shapes                   | ⑦ Powder Coated Legs & Frame  |
| ③ SICO® Armor-Edge™                  | ⑧ Dual-Wheel Swivel Casters   |
| ④ Rigid High Performance Poly Backer | ⑨ Obstruction Free Leg Design |
| ⑤ Pneumatic Damper                   | ⑩ Nesting Storage             |

## Maximize Storage



One person can easily roll and maneuver tables into service or storage on the 3" (7.6cm) dual wheel swivel casters. Two rugged locking casters stabilize table when in position. Tables fold & tightly nest together to roll and store in a tight footprint.



## Specifications (Rectangle, Lightning and Flow Top Shapes)

Description	Capacity	Weight
4' Top	4 Seated	Rectangle- 69 lbs./31kg Lightning- 72.5 lbs./33kg Flow- 72.5 lbs./33kg
5' Top	4 Seated	Rectangle- 80 lbs./36kg Lightning- 84.5 lbs./38kg Flow- 84.5 lbs./38kg
6' Top	6 Seated	Rectangle- 103 lbs./47kg Lightning- 108 lbs./49kg Flow- 108 lbs./49kg
8' Top	8 Seated	Rectangle- 107 lbs./49kg Lightning- 113.5 lbs./52kg Flow- 113.5 lbs./52kg
4' Top - Wide	4 Seated	Rectangle, Lightning & Flow- 79 lbs./36kg
5' Top - Wide	4 Seated	Rectangle, Lightning & Flow- 93 lbs./42kg
6' Top - Wide	6 Seated	Rectangle, Lightning & Flow- 117 lbs./53kg
8' Top - Wide	8 Seated	Rectangle, Lightning & Flow- 127 lbs./58kg




Description	Length (L)	Width (W)	Height (H)
4' Top	48" (122cm)	Rectangle- 24" (61cm) Lightning- 30" (76cm) Flow- 29" (74cm)	29" (74cm)
5' Top	60" (152cm)		
6' Top	72" (183cm)		
8' Top	96" (244cm)		
4' Top - Wide	48" (122cm)	Rectangle- 30" (76cm) Lightning- 32" (81cm) Flow- 31" (78cm)	
5' Top - Wide	60" (152cm)		
6' Top - Wide	72" (183cm)		
8' Top - Wide	96" (244cm)		



## Storage Specifications (Rectangle, Lightning and Flow Top Shapes)

Description	Length (L)	Width (W)	Height (H)
4' Top	48" (122cm)	Rectangle- 24" (61cm) Lightning- 30" (76cm) Flow- 29" (74cm)	Rectangle- 37" (94cm)
5' Top	60" (152cm)		Lightning- 40" (102cm)
6' Top	72" (183cm)		Flow- 39.5" (100cm)
8' Top	96" (244cm)	Rectangle- 30" (76cm) Lightning- 32" (81cm) Flow- 31" (78cm)	Rectangle- 40" (102cm)
4' Top - Wide	48" (122cm)		Lightning- 41" (104cm)
5' Top - Wide	60" (152cm)		Flow- 40.5" (103cm)
6' Top - Wide	72" (183cm)		
8' Top - Wide	96" (244cm)		

Description	A First Pair of Two Tables	B Every Pair There After
4' Top	26.5" (68cm)	17" (44cm)
5' Top	26.5" (68cm)	17" (44cm)
6' Top	26.5" (68cm)	17" (44cm)
8' Top	26.5" (68cm)	17" (44cm)
4' Top - 30" Width	32" (82cm)	18" (46cm)
5' Top - 30" Width	32" (82cm)	18" (46cm)
6' Top - 30" Width	32" (82cm)	18" (46cm)
8' Top - 30" Width	32" (82cm)	18" (46cm)





**SICO Incorporated -**  
Global Headquarters

**SICO America Inc.**

Tel: 1 (800) 328 6138

Email: [sales@sicoinc.com](mailto:sales@sicoinc.com)

**SICO Asia PTE LTD**

Tel: (65) 6500 0800

Email: [sales@sicoasia.com](mailto:sales@sicoasia.com)

**SICO Europe Limited**

Tel: +44(0) 1303 234 000

Email: [sales@sico-europe.com](mailto:sales@sico-europe.com)

**SICO Japan Inc.**

Tel: +81(3) 3288 0145

Email: [info@sico-japan.com](mailto:info@sico-japan.com)

**SICO Middle East DMCC**

Tel: (971) 4 880 9388

Email: [sales@sico-me.com](mailto:sales@sico-me.com)

**SICO South Pacific Limited**

Tel: +61(2) 4336 1333

Email: [sales@sicosp.com.au](mailto:sales@sicosp.com.au)

[sicoinc.com](http://sicoinc.com)