





Mosaic™ Buffet System



Features

SICO's Mosaic™ Modular Buffet System empowers chefs to create the ideal dining experience for any event. Designed in collaboration with top chefs around the world, this intuitive, lightweight system is easy to set up and transport.



Engineered to adapt to your space and display requirements. Choose from a range of sets, sizes, induction cooking options, storage options, colors, and finishes to create a dining experience tailored to your environment.

- | | |
|---|--|
| ① Laminate with Edge Banding or Glass Top | ⑥ Optional Induction Cooking/Warming |
| ② Split Top or Single Top | ⑦ Adjustable Height |
| ③ Laminate or Aluminum Fascia (Optional) | ⑧ Powder Coat Frame Finish |
| ④ Laminate or Glass Shelves (Optional) | ⑨ Multiple Size Options |
| ⑤ 1.25" (3cm), 14-Gauge Steel Tubing | ⑩ Four 3" (8cm) Locking Swivel Casters |

Maximize Storage

Nest tables together for storage in plain sight or store on a caddy for mobile storage. Its lightweight, intuitive design ensures quick, seamless setup, requiring minimal staff and no tools.



Specifications

Frame- Size	Top Size	Adjustable Heights	Frame Weight	Laminate Top- Size	Weight*
Extra Small	30" x 30" (76 x 76cm)	30", 34", 38", 42" (76cm, 86cm, 97cm, 107cm)	37 lbs. (17kg)	Extra Small	14 lbs. (6kg)
Small	30" x 66" (76 x 168cm)		46 lbs. (21kg)	Small	32 lbs. (15kg)
Medium	30" x 72" (76 x 183cm)		48 lbs. (22kg)	Medium	33 lbs. (15kg)
Large	30" x 78" (76 x 198cm)		49 lbs. (22kg)	Large	35 lbs. (16kg)

Glass Top- Size	Weight*	Laminate Shelf- Size	Weight	Glass Shelf- Size	Weight
Extra Small	29 lbs. (13kg)	Extra Small	11 lbs. (5kg)	Extra Small	24 lbs. (11kg)
Small	65 lbs. (29kg)	Small	27 lbs. (12kg)	Small	57 lbs. (26kg)
Medium	71 lbs. (32kg)	Medium	29 lbs. (13kg)	Medium	63 lbs. (29kg)
Large	76 lbs. (34kg)	Large	32 lbs. (15kg)	Large	68 lbs. (31kg)

* Each half of the split top is 1/2 the weight of the single top.

Induction Unit Specifications

(Based on Single Appliance)



Description	Max. Units Per Top	Temp. Range	120VAC Power	240VAC Power*	Weight
Induction Warming	2	104-194°F (40-90°C)	650 Watts / 5 Amp	650 Watts / 3 Amp	10 lbs. (4.5kg)
Induction Cooking	2	80-500°F (27-260°C)	1800 Watts / 15 Amp	3000 Watts / 12.5 Amp	

Storage Specifications

Description	Capacity
Utility Caddy	3 - Any Frame Size*; 6 - Combination of Frame Sizes; ALL Corresponding Tops
Large Caddy	10 - Any Frame Size*; 20 - Combination of Frame Sizes; NO Corresponding Tops
Large Top Caddy	20 - Tops Only (Combine with Large Caddy)

* Example: All are Large Size



SICO Incorporated -
Global Headquarters

SICO America Inc.
Tel: 1 (800) 328 6138
Email: sales@sicoinc.com

SICO Japan Inc.
Tel: +81(3) 3288 0145
Email: info@sico-japan.com

SICO Asia PTE LTD
Tel: (65) 6500 0800
Email: sales@sicoasia.com

SICO Middle East DMCC
Tel: (971) 4 880 9388
Email: sales@sico-me.com

SICO Europe Limited
Tel: +44(0) 1303 234 000
Email: sales@sico-europe.com

SICO South Pacific Limited
Tel: +61(2) 4336 1333
Email: sales@sicosp.com.au

sicoinc.com 